



ANALYTICAL REPORT

PREPARED FOR

Attn: Water Report
NW Natural Water Services, LLC
107 S Main St
Coupeville, Washington 98239

Generated 7/9/2026 11:21:02 PM

JOB DESCRIPTION

Crosswoods Water Company - 16274J

JOB NUMBER

110-13250-1

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

Authorization



Generated
7/9/2026 11:21:02 PM

Authorized for release by
Crystal Deighton, Project Manager
Crystal.Deighton@et.eurofinsus.com
(360)757-1400

Client Sample Results

Client: NW Natural Water Services, LLC
Project/Site: Crosswoods Water Company - 16274J

Job ID: 110-13250-1

Client Sample ID: 2992 Crosswoods

Date Collected: 06/30/26 06:30

Date Received: 07/02/26 15:26

Lab Sample ID: 110-13250-1

Matrix: Drinking Water

PWSID Number: 16274J

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Lead	0.0012		0.00050	mg/L		07/08/26 17:09	1	T8BB
Copper	0.13		0.0010	mg/L		07/08/26 17:09	1	T8BB

Client Sample ID: 1237 Liberty Ln

Date Collected: 06/25/26 12:55

Date Received: 07/02/26 15:26

Lab Sample ID: 110-13250-2

Matrix: Drinking Water

PWSID Number: 16274J

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Lead	0.00095		0.00050	mg/L		07/08/26 17:24	1	T8BB
Copper	0.59		0.0010	mg/L		07/08/26 17:24	1	T8BB

Client Sample ID: 2127 Fireside Ln

Date Collected: 06/24/26 10:00

Date Received: 07/02/26 15:26

Lab Sample ID: 110-13250-3

Matrix: Drinking Water

PWSID Number: 16274J

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Lead	ND		0.00050	mg/L		07/08/26 17:30	1	T8BB
Copper	0.15		0.0010	mg/L		07/08/26 17:30	1	T8BB

Client Sample ID: 1218 Patriot Way

Date Collected: 06/30/26 03:00

Date Received: 07/02/26 15:26

Lab Sample ID: 110-13250-4

Matrix: Drinking Water

PWSID Number: 16274J

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Lead	0.0011		0.00050	mg/L		07/08/26 17:32	1	T8BB
Copper	0.30		0.0010	mg/L		07/08/26 17:32	1	T8BB

Action Limit Summary

Client: NW Natural Water Services, LLC
Project/Site: Crosswoods Water Company - 16274J

Job ID: 110-13250-1

Client Sample ID: 2992 Crosswoods

Lab Sample ID: 110-13250-1

PWSID Number: 16274J

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	EPAMCLS Limit	RL	Method	Prep Type
Lead	0.0012		mg/L	0.015		0.00050	200.8	Total/NA
Copper	0.13		mg/L	1	1	0.0010	200.8	Total/NA

Client Sample ID: 1237 Liberty Ln

Lab Sample ID: 110-13250-2

PWSID Number: 16274J

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	EPAMCLS Limit	RL	Method	Prep Type
Lead	0.00095		mg/L	0.015		0.00050	200.8	Total/NA
Copper	0.59		mg/L	1	1	0.0010	200.8	Total/NA

Client Sample ID: 2127 Fireside Ln

Lab Sample ID: 110-13250-3

PWSID Number: 16274J

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	EPAMCLS Limit	RL	Method	Prep Type
Lead	ND		mg/L	0.015		0.00050	200.8	Total/NA
Copper	0.15		mg/L	1	1	0.0010	200.8	Total/NA

Client Sample ID: 1218 Patriot Way

Lab Sample ID: 110-13250-4

PWSID Number: 16274J

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	EPAMCLS Limit	RL	Method	Prep Type
Lead	0.0011		mg/L	0.015		0.00050	200.8	Total/NA
Copper	0.30		mg/L	1	1	0.0010	200.8	Total/NA

Multiple WSI / ANALYSIS REQUEST

Page _ of _

Client & Billing Information

Report To: NW Natural Water Services
Ship Address: 102 SW Terry Road
City: Coupeville St. WA Zip: 98239
Phone: 360-226-5007/360-226-4745 Fax:
Email: wa_testing@nwnaturalwaterservices.com
Contact: Jessica Zimmer
Project Name: Crosswoods Water Company

Bill To: KIN07
Address:
City:
St:
P.O. #



EDGE
ANALYTICAL

Main Lab (800-755-9295)
1620 S Walnut St. Burlington, WA 98233
Bellingham (888-725-1212)
805 W Orchard Dr. Suite 4, Bellingham, WA 98225

- INSTRUCTIONS**
1. USE ONE LINE PER SAMPLE LOCATION.
 2. BE SPECIFIC IN TEST REQUESTS.
 3. CHECK OFF ANALYSIS TO BE PERFORMED FOR EACH SAMPLE LOCATION.
 4. ENTER NUMBER OF CONTAINERS PER SAMPLE LOCATION.
- Turn Around Time Requested**
- ☒ STANDARD
☐ HALF-TIME (50% SURCHARGE)
☐ QUICKEST (100% SURCHARGE) (PHONE CALL REQUIRED)
☐ EMERGENCY (PHONE CALL REQUIRED)

SYSTEM ID	SOURCE#	SAMPLE LOCATION	DATE	TIME	Compliance	Lead & Copper	Number of Containers	SPECIAL INSTRUCTIONS / CONDITIONS ON RECEIPT
1	16274J	DIST	2/12/26	06:30	☒	☒	1	
2	16274J	DIST	12/31/25	12:55	☒	☒	1	
3	16274J	DIST	2/12/26	10:00	☒	☒	1	
4	16274J	DIST	12/18/25	06:30	☒	☒	1	
5	16274J	DIST			☒	☒	1	
6	16274J	DIST			☒	☒	1	
7					☒	☒		
8					☒	☒		
9					☒	☒		
10					☒	☒		

SAMPLED BY: PHONE: FAX: EMAIL:

DISAMPER ELIMINATED BY DATE TIME RECEIVED BY DATE TIME

EDGE PU01 7/2/26 1526

[Signature]

CUSTODY SEALS INTACT
SAMPLE TEMP SATISFACTORY
EVIDENCE OF COOLING
SAMPLES RECEIVED INTACT
CHAIN OF CUSTODY & LABELS AGREE

YES NO N/A
☒ ☐ ☒
☐ ☐ ☐
☐ ☐ ☐

Lead & Copper Rule

Homeowners Tap Sample Collection Procedure

Sampling Instructions

These Samples are being collected to determine the lead and copper levels in your tap water. This sampling effort is required by the US Environmental Protection Agency and your state, and is being accomplished through the cooperation of homeowners and residents.

Collect samples from a tap that has not been used for a minimum of 6 hours. Because of this requirement, the best time to collect samples is either early in the morning or in the evening upon returning from work. Be sure to use taps that have been in general use by your household for the past few months.

Sampling Instructions:

1. Prior arrangements will be made with the customer to coordinate the sample collection event. Dates will be set for sample kit delivery and pick-up by water department staff.
2. There must be a minimum of 6 hours during which there is no water used from the tap the sample is taken from and any taps adjacent or close to that tap. The water department recommends that either early mornings or evenings upon returning home are the best sampling times to ensure that the necessary stagnant water conditions exist.
3. A kitchen or bathroom cold-water faucet is to be used for sampling. If you have water softeners on your kitchen taps, collect your sample from the bathroom tap that is not attached to a water softener, if possible. Do not remove the aerator prior to sampling. Place the opened sample bottle below the faucet and gently open the cold water tap. Fill the sample bottle to the 1000mL line on the side of the bottle and turn off the water. **MUST FILL TO 1000mL line on side of bottle or the sample will be rejected.**
4. Tightly cap the sample bottle and place in the sample kit provided. Please review the sample kit label at this time to ensure that all information contained on the label is correct.
5. If any plumbing repairs or replacement has been done in the home since the previous sampling event, note this information on the label as provided. Also, if your sample was collected from a tap with a water softener note this as well.
6. Place the sample kit outside of the residence in the location of the kit's delivery so that department staff may pick up the sample kit.
7. Results from this monitoring effort will be provided to participating customers when reports are generated for the State. However, if excessive lead and/or copper levels are found, immediate notification will be provided (usually 10 working days from the time of sample collection).

Call _____ (water manager) at _____ if you have questions.

To Be Completed By Resident:

Water was last used: _____

Time _____ Date _____

06/29/26

Sample Was Collected: _____

Time _____ Date _____

06/30/26

I have read the above directions and taken a tap sample in accordance with them.

Print Name: _____

GREG TRIVON

Signature: _____

2992 Leoswoods Circle Oak Harbor

Have plumbing repairs or replacements been done since last sample was collected? _____

NO



Homeowners Tap Sample Collection Procedure

Sampling Instructions

These Samples are being collected to determine the lead and copper levels in your tap water. This sampling effort is required by the US Environmental Protection Agency and your state, and is being accomplished through the cooperation of homeowners and residents.

Collect samples from a tap that has not been used for a minimum of 6 hours. Because of this requirement, the best time to collect samples is either early in the morning or in the evening upon returning from work. Be sure to use taps that have been in general use by your household for the past few months.

Sampling Instructions:

1. Prior arrangements will be made with the customer to coordinate the sample collection event. Dates will be set for sample kit delivery and pick-up by water department staff.
2. There must be a minimum of 6 hours during which there is no water used from the tap the sample is taken from and any taps adjacent or close to that tap. The water department recommends that either early mornings or evenings upon returning home are the best sampling times to ensure that the necessary stagnant water conditions exist.
3. A kitchen or bathroom cold-water faucet is to be used for sampling. If you have water softeners on your kitchen taps, collect your sample from the bathroom tap that is not attached to a water softener, if possible. Do not remove the aerator prior to sampling. Place the opened sample bottle below the faucet and gently open the cold water tap. Fill the sample bottle to the 1000mL line on the side of the bottle and turn off the water. **MUST FILL TO 1000mL line on side of bottle or the sample will be rejected.**
4. Tightly cap the sample bottle and place in the sample kit provided. Please review the sample kit label at this time to ensure that all information contained on the label is correct.
5. If any plumbing repairs or replacement has been done in the home since the previous sampling event, note this information on the label as provided. Also, if your sample was collected from a tap with a water softener note this as well.
6. Place the sample kit outside of the residence in the location of the kit's delivery so that department staff may pick up the sample kit.
7. Results from this monitoring effort will be provided to participating customers when reports are generated for the State. However, if excessive lead and/or copper levels are found, immediate notification will be provided (usually 10 working days from the time of sample collection).

Call _____ at _____ (water manager) if you have questions.

To Be Completed By Resident:

Water was last used: _____

Time _____ Date _____

Sample Was Collected: _____

Time _____ Date _____

I have read the above directions and taken a tap sample in accordance with them.

Signature: _____

Print Name: _____

Sample Address: _____

Have plumbing repairs or replacements been done since last sample was collected? _____



Homeowners Tap Sample Collection Procedure

Sampling Instructions

These Samples are being collected to determine the lead and copper levels in your tap water. This sampling effort is required by the US Environmental Protection Agency and your state, and is being accomplished through the cooperation of homeowners and residents.

Collect samples from a tap that has not been used for a minimum of 6 hours. Because of this requirement, the best time to collect samples is either early in the morning or in the evening upon returning from work. Be sure to use taps that have been in general use by your household for the past few months.

Sampling Instructions:

1. Prior arrangements will be made with the customer to coordinate the sample collection event. Dates will be set for sample kit delivery and pick-up by water department staff.
2. There must be a minimum of 6 hours during which there is no water used from the tap the sample is taken from and any taps adjacent or close to that tap. The water department recommends that either early mornings or evenings upon returning home are the best sampling times to ensure that the necessary stagnant water conditions exist.
3. A kitchen or bathroom cold-water faucet is to be used for sampling. If you have water softeners on your kitchen taps, collect your sample from the bathroom tap that is not attached to a water softener, if possible. **Do not remove the aerator prior to sampling.** Place the opened sample bottle below the faucet and gently open the cold water tap. **Fill the sample bottle to the 1000mL line on the side of the bottle and turn off the water. MUST FILL TO 1000mL line on side of bottle or the sample will be rejected.**

4. Tightly cap the sample bottle and place in the sample kit provided. Please review the sample kit label at this time to ensure that all information contained on the label is correct.

5. If any plumbing repairs or replacement has been done in the home since the previous sampling event, note this information on the label as provided. Also, if your sample was collected from a tap with a water softener note this as well.

6. Place the sample kit outside of the residence in the location of the kit's delivery so that department staff may pick up the sample kit.
7. Results from this monitoring effort will be provided to participating customers when reports are generated for the State. However, if excessive lead and/or copper levels are found, immediate notification will be provided (usually 10 working days from the time of sample collection).

Call _____ (water manager) at _____ if you have questions.

To Be Completed By Resident:

Water was last used: Time 11:00 PM Date 6/23/26

Sample Was Collected: Time 10:00 AM Date 6/24/26

I have read the above directions and taken a tap sample in accordance with them.

Signature: _____

Print Name: Chris MARR

Sample Address: _____

2127 FARRIS LANE OAK HARBOR WA 98277

Have plumbing repairs or replacements been done since last sample was collected? NO



Homeowners Tap Sample Collection Procedure

Sampling Instructions

These Samples are being collected to determine the lead and copper levels in your tap water. This sampling effort is required by the US Environmental Protection Agency and your state, and is being accomplished through the cooperation of homeowners and residents.

Collect samples from a tap that has not been used for a minimum of 6 hours. Because of this requirement, the best time to collect samples is either early in the morning or in the evening upon returning from work. Be sure to use taps that have been in general use by your household for the past few months.

Sampling Instructions:

1. Prior arrangements will be made with the customer to coordinate the sample collection event. Dates will be set for sample kit delivery and pick-up by water department staff.
2. There must be a minimum of 6 hours during which there is no water used from the tap the sample is taken from and any taps adjacent or close to that tap. The water department recommends that either early mornings or evenings upon returning home are the best sampling times to ensure that the necessary stagnant water conditions exist.
3. A kitchen or bathroom cold-water faucet is to be used for sampling. If you have water softeners on your kitchen taps, collect your sample from the bathroom tap that is not attached to a water softener, if possible. Do not remove the aerator prior to sampling. Place the opened sample bottle below the faucet and gently open the cold water tap. Fill the sample bottle to the 1000mL line on the side of the bottle and turn off the water. **MUST FILL TO 1000mL line on side of bottle or the sample will be rejected.**
4. Tightly cap the sample bottle and place in the sample kit provided. Please review the sample kit label at this time to ensure that all information contained on the label is correct.
5. If any plumbing repairs or replacement has been done in the home since the previous sampling event, note this information on the label as provided. Also, if your sample was collected from a tap with a water softener note this as well.
6. Place the sample kit outside of the residence in the location of the kit's delivery so that department staff may pick up the sample kit.
7. Results from this monitoring effort will be provided to participating customers when reports are generated for the State. However, if excessive lead and/or copper levels are found, immediate notification will be provided (usually 10 working days from the time of sample collection).

Call _____ (water manager) at _____ if you have questions.

To Be Completed By Resident:

Water was last used: _____

Time: 1:30 PM Date: 6/29/26

Sample Was Collected: _____

Time: 3:00 AM Date: 6/30/26

I have read the above directions and taken a tap sample in accordance with them.

Signature: _____ Print Name: JEANETTE SPRINGER

Sample Address: 1218 FAIRVIEW WAY OAK HARBOR, WA 98277

Have plumbing repairs or replacements been done since last sample was collected? No



Client Information (Sub Contract Lab)				Lab PM:	Carrier Tracking No(s):	COC No:
Client Contact:				Deighton Crystal	N/A	110-2330 1
Shipping/Receiving				E-Mail:	State of Origin:	Page:
Company:				(Crystal Deighton@et.eurofinsus.com)	Washington	Page 1 of 1
Eurofins Drinking Water and Wastewater W				Accreditations Required (See note):	Job #:	
Address:				NELAP - Oregon State - Washington		
City:				Preservation Codes:		
State, Zip:				110-13250-1		
Phone:						
626-386-1100(Tel)						
Email:						
N/A						
Project Name:						
Crosswoods Water Company - 16274J						
Site:						
N/A						
Due Date Requested:				Analysis Requested		
7/16/2026						
TAT Requested (days):				N/A		
PO #:				N/A		
WO #:				N/A		
Project #:				11001269		
SSOW#:				N/A		
Sample Identification - Client ID (Lab ID)				Total Number of Containers		
2592 Crosswoods (110-13250-1)				1		
1237 Liberty Ln (110-13250-2)				1		
2127 Fireside Ln (110-13250-3)				1		
1218 Patriot Way (110-13250-4)				1		
Special Instructions/Note				Other:		
				N/A		
Note: Since laboratory accreditations are subject to change, Eurofins Drinking Water and Wastewater West, LLC places the ownership of method analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/matrix being analyzed, the samples must be shipped back to the Eurofins Drinking Water and Wastewater West, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Drinking Water and Wastewater West, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Drinking Water and Wastewater West, LLC.						
Possible Hazard Identification				Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)		
Unconfirmed				Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months		
Deliverable Requested I, II, III, IV Other (specify)				Special Instructions/QC Requirements.		
Primary Deliverable Rank: 1						
Empty Kit Relinquished by				Method of Shipment:		
Relinquished ---				Date/Time:		
CJK 7/6/26 12:15				7/7/26 10:14		
Relinquish				Received by		
Relinquished by				Received by		
Custody Seals Intact				Received by		
A Yes A No				Cooler Temperature(s) °C and Other Remarks:		
Custody Seal No						

11K6504

$22.1 - 0.1 = 22.0^{\circ}\text{C}$
 $19.1 - 0.1 = 19.0^{\circ}\text{C}$
 $19.2 - 0.1 = 19.1^{\circ}\text{C}$
 $19.5 - 0.1 = 19.4^{\circ}\text{C}$
 $19.8 - 0.1 = 19.7^{\circ}\text{C}$
 $19.1 - 0.1 = 19.0^{\circ}\text{C}$
 $19.7 - 0.1 = 19.6^{\circ}\text{C}$

N2O 166

FEDEX